



Elegance
Röyale ⁵⁵
Herringbone

Luxury Vinyl Tile Herringbone Collection

Elegance
Röyale ⁵⁵

Herringbone

Although herringbone floors may be a recent trend, they have been used for thousands of years and were once considered a symbol of prosperity in ancient Rome and Greece. Today A herringbone floor is ideal for creating harmony and balance in an interior design plan. It also has the advantage of making spaces appear bigger, maximising space. Each herringbone pattern in the Elegance Royale collection has been skillfully created to accurately mimic the texture of natural wood while incorporating multi-tonal variance to give your herringbone floor realistic character and depth.

Front cover

Saxon Oak

LIBE0035

Herringbone size 613.5 x 102.25

Elegance
Röyale
Herringbone



55

Product merchandise

In addition to our A4 shade card and large presenters we also offer a bespoke production service for showroom stands. Full size herringbone planks are also available on request.

Please contact our sales office on 0845 899 1000

Herringbone plank size 613.5 x 102.25

4 Micro Bevel 

See page 5 & 6



Crömwel Oak

LIBE0032 

See page 7 & 8



Empire Oak

LIBE0037 

See page 9 & 10



Elizabethan Oak

LIBE0031 

See page 11 - 14



Kingship Oak

LIBE0034 

See page 15 & 16



Lancaster Oak

LIBE0033 

See page 17,18 & F/Cover



Saxön Oak

LIBE0035 

See page 19 & 20



Sövereign Oak

LIBE0036 

See page 21 & 22



Tudör Oak

LIBE0030 

Decors are also available our acoustic rigid core plank and herringbone collection.



Herringbone size 613.5 x 102.25





Empire Oak 

LIBE0037



Herringbone size 613.5 x 102.25





Herringbone size 613.5 x 102.25





Kingship Oak 

LIBE0034
Herringbone size 613.5 x 102.25

4 Micro Bevel  High Plank variation level 




Kingship Oak 

LIBE0034

Herringbone size 613.5 x 102.25

4 Micro Bevel

High Plank variation level 



Lancaster Oak 

LIBE0033




Herringbone size 613.5 x 102.25



Saxon Oak 

LIBE0035
Herringbone size 613.5 x 102.25

4 Micro Bevel

High Plank variation level 



Soverign Oak 

LIBE0031



Herringbone size 613.5 x 102.25

4 Micro Bevel  Medium plank variation level 



Tudor Oak 

LIBE0031





Product code: LIBE0032



Product code: LIBE0037



Product code: LIBE0031



Product code: LIBE0034




Herringbone plank size 613.5 x 102.25



Herringbone plank size 613.5 x 102.25



Herringbone plank size 613.5 x 102.25



Herringbone plank size 613.5 x 102.25



Product code: LIBE0033



Product code: LIBE0035



Product code: LIBE0031



Product code: LIBE0030



Herringbone plank size 613.5 x 102.25



Herringbone plank size 613.5 x 102.25




Herringbone plank size 613.5 x 102.25



Herringbone plank size 613.5 x 102.25

Structure



- ① Polyurethane treatment PUR | **Easy maintenance**
- ② Wear layer 0.55 mm - Class 33/42 | **Heavy commercial**
- ③ Design | **Realistic Design & colours**
- ④⑤⑥ Calendered PVC | **Resistant to indentation**

Technical

CLASSIFICATION	STANDARDS	UNITS	RESULT
Product standard	EN ISO 10582		Heterogeneous PVC floor covering
Performance classification	EN ISO 10874	class	33-42
FEATURES	SHADES	QTY PER BOX	M2 PER BOX
Herringbone plank sizes	8	48	3.01
	STANDARDS	UNITS	RESULT
Herringbone plank format	EN ISO 24342	mm	613.5 x 102.25
Total thickness	EN ISO 24346	mm	2.5
Wear layer thickness	EN ISO 24340	mm	0.55
Surface treatment	Polyurethane PU Antique Wood Texture, Super Protect, Super Matt		
Abrasion group	EN 660-2	group	T
Binding agent content	EN ISO 10582	type	I
Total weight	EN ISO 23997	g/m²	8 100
PERFORMANCE	STANDARDS	UNITS	RESULT
Dimensional stability to heat	EN ISO 23999	%	< 0,10
Reaction to fire	IN 13501-1	class	Bfl-s1
Acoustic efficiency (shock noise: Lw)	EN ISO 717-2	dB	7
Residual static punch	EN ISO 24343-1	mm	< 0,10
Resistance to wheeled chair	ISO 4918	cycles	25,000 (no damage)
Slip resistance	DIN 51130	group	R9
Slip (coef.)	IN 13893	class	DS (0.30°)
Colour strength in light	EN ISO 105-B02	degree	> 6
Chemical resistance	EN ISO 26987		Good
Thermal resistance	IN 12667	m². K/W	0,017
Underfloor heating			Heating floor compatible (max 27°C)
Electrical behaviour	IN 1815	kV	- 0.6 (antistatic)
ENVIRONMENT	STANDARDS	UNITS	RESULT
Air emissions: 28-day TVOC	IN 16516	µg/m³	< 100 (Class A+)
Formaldehyde at 28 days	EN 717-1		E1 (not detected)
REACH (European regulation)	1907/2006/EC		Conform
DESCRIPTION			
Instructions for use	Elegance Royale Herringbone is suited to commercial areas within the retail, leisure, office, education and healthcare sectors, plus any domestic situation. Temperatures in conservatories can become quite high. It is strongly advised that, in such situations, we recommended high temperature adhesive is used.		
Guarantee	15 years domestic guarantee 10 year commercial gurantee (subject to conditions).		

Floorcare

We want your new Elegance Royale Herringbone floor to continue to look as good as the first day it was installed, so to help you achieve this we have laid out the following floorcare guidelines. Each product in the Royale collection features a polyurethane (PU) treatment within a hard-wearing surface providing protection against everyday wear, ensuring optimum long-term performance of your floor. Furthermore, Royale does not harbour dust mites or bacteria making it ideal for the home environment

Floorcare instructions for domestic interiors:



Initial cleaning after installation. Avoid walking on the floor for at least 24 hours following completion of installation. Sweep or vacuum to prevent loose dirt or grit from scratching the floor. Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection.



Day to day cleaning Sweep or vacuum the floor to remove loose dirt, grit or dust. Regularly mop the floor evenly using clean mops and neutral cleaning solutions, diluted to the manufacturer's instructions. Collect any excess liquid in a mop bucket. Rinse the floor with clean water and allow to dry.

Regular cleaning is more beneficial to the floor covering and is more cost effective than occasional heavy cleaning.



Install barrier mats at entrances to pick up grit and moisture. (Note, some rubber-backed mats may discolour the floor). Insert protective pads and cups under furniture to protect your floor from indentations and scratches. Remove spillages as quickly as possible to reduce risk of staining and causing slip hazards. Regularly trim pets claws as these can cause fine scratches.



Do not use abrasive liquids or metal scouring pads as these can damage the floor. Avoid cleaning the floor with solvents, caustic detergents, washing up liquids, soap powders, bleach, furniture polishes, petroleum based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage. Avoid dragging furniture with unprotected feet across the floor. Regularly trim pets claws as these can cause fine scratches.




Guarantee



The Elegance Royale Herringbone collection of luxury vinyl tiles has been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style. Compared with many alternative flooring options, Elegance Royale will under normal conditions resist household stains, will not crack, chip or splinter. The manufacturers of Elegance Royale are confident that the high quality products will provide many years of valuable service. All products purchased from the range are guaranteed for 10 years in commercial interiors and 15 years in domestic interiors against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. Full terms and conditions of the guarantee are available on request from your flooring provider.

For commercial floorcare instructions, contact STS Flooring for more details.

 0345 899 1000

 sales@stsflooring.co.uk



TRADE COUNTER LOCATIONS:-

Unit 5-6, Orpington Trade Centre, Murray Road, Orpington, Kent, BR5 3SS

13 Valley Point, Beddington Farm Road, Croydon, Surrey, CR0 4WP

Unit A, Zenith Industrial Estate, Paycocke Road, Basildon, Essex, SS14 3DW

Unit 4, Links Industrial Park, Trafalgar Way, Bar Hill, Cambridge, CB23 8UD

Unit 3, Odhams Trading Estate, St Albans Road, Watford, WD24 7RY

☎ 0345 899 1000

✉ sales@stsflooring.co.uk

🌐 www.stsflooring.co.uk



Homedecor International Group
International Floorcovering Distributors Association